OPEL MOVANO PRICES/OPTIONS

2015 models. Prices effective 1.11.14

Wir leben Autos.

MOVANO PRICES

Trim	Engine	Transmission	Bodystyle	CO_2	GVW	Payload	RRP inc. VAT & VRT €	Delivery Charge €	OTR Price €
PANEL VAN									
3500 L2 H2 FWD	2.3CDTi 110PS	Manual	Panel Van	207	3500	1610	24,250	400	**24,650**
3500 L2 H2 FWD	2.3CDTi 125PS	Manual	Panel Van	207	3500	1610	25,250	400	**25,650**
3500 L2 H2 FWD	2.3CDTi 163 BiTurbo Start/Stop	Manual	Panel Van	180	3500	1610	27,995	400	**28,395**
3500 L3 H2 FWD	2.3CDTi 110PS	Manual	Panel Van	211	3500	1530	25,250	400	**25,650**
3500 L3 H2 FWD	2.3CDTi 125PS	Manual	Panel Van	211	3500	1530	26,250	400	**26,650**
3500 L3 H2 FWD	2.3CDTi 163 BiTurbo Start/Stop	Manual	Panel Van	184	3500	1530	28,995	400	**29,395**
3500 L3 H2 RWD	2.3CDTi 125PS	Manual	Panel Van	246	3500	1341	27,300	400	**27,700**
3500 L3 H2 RWD	2.3CDTi 163 BiTurbo Start/Stop	Manual	Panel Van	217	3500	1341	29,995	400	**30,395**
3500 L3 H2 RWD HD	2.3CDTi 125PS	Manual	Panel Van	232	3500	1254	28,100	400	**28,500**
3500 L3 H2 RWD HD	2.3CDTi 163 BiTurbo Start/Stop	Manual	Panel Van	212	3500	1254	30,995	400	**31,395**
3500 L4 H2 RWD HD	2.3CDTi 125PS	Manual	Panel Van	232	3500	1176	29,100	400	**29,500**
3500 L4 H2 RWD HD	2.3CDTi 163 BiTurbo Start/Stop	Manual	Panel Van	216	3500	1176	31,995	400	**32,395**

The above is for information purposes only as our products are continually updated and changes may be made to the specifications at any time. If you require any specific feature, you must consult your authorised Opel dealer who is regularly updated with any change in specification. Specifications are subject to change without notice.
To eliminate uncertainty about hidden costs when buying a new vehicle, Opel publishes a recommended Delivery Charge of €400. This price includes the recommended cost of PDI, number plates and delivery to an Opel dealer. The recommended Delivery Charge does not include fuel supplied by the dealer, Motor insurance or any other goods or services supplied by agreement between the dealer and the customer.
Prices effective 1.11.2014. Prices subject to alteration or change without notice or obligation.

EQUIPMENT

Recommended Retail Prices including Taxes

SAFETY

Standard features • Driver's airbag • Electronic Stability Programme-plus (ESP-plus) with traction control • Hill start assist • Anti-lock braking system (ABS) with electronic brakeforce distribution • Emergency brake assist • Height-adjustable outer head restraints • Padded head restraints • Inertia-reel lap and diagonal seatbelts • Height-adjustable outer front seatbelts • Anti-submarining ramps in seats • Laminated windscreen • High-level brake light

Additional features	Panel Van
Front passengers' airbag with deactivation switch[1]	O €366
Driver's side-impact airbag[2]	O €366
Driver and front passenger's side-impact airbags[2,3]	O €731
Speed limiter (choice of three: 90km/h (56mph), 100km/h (62mph) or 110km/h (68mph)	O €113

SECURITY

Standard features • Electronic engine deadlock immobiliser • Remote control selective door locking with three-button key and deadlocks • Unglazed rear doors (90°/180° opening) • Steering column lock • Under-floor spare wheel – winchable when rear doors opened

Additional features	Panel Van
Third key	O €75
Security alarm (ultrasonic detectors in cab and load area, engine compartment protection and siren) – Thatcham Category 1 approved (TCL1-101/1103)	O €372

FACIA, INSTRUMENTS AND CONTROLS

Standard features • Facia-mounted gear lever • Height-adjustable steering wheel • Gearshift indication light (manual models only) • Trip odometer • Rev counter • Coolant temperature gauge • Fuel gauge with low fuel level warning light • Warning indicators for low oil level, low brake fluid, brake pad wear, battery, engine temperature, fuel filter, seatbelt warning and doors open • Service-due indicator • Central 12-volt electrical accessory socket • Mobile phone storage with adjacent 12-volt accessory socket • Extensive facia storage • Lidded glovebox • Coin, ticket and card holder

Additional features	Panel Van
Digital tachograph includes CANbus interface[4]	O €767
Multi-function trip computer – provides information on overall distance, trip distance, average and instantaneous fuel consumption, remaining range, distance and average speed since last reset	O €366
Cruise control with speed limiter (only available with trip computer)	O €293

SEATING

Standard features • Pulse cloth seat trim • Driver's seat adjustable for height, reach and rake • Driver's seat armrest • Dual front passengers' bench seat

Additional features	Panel Van
Vinyl seat trim[2,5]	O €50
'Comfort' driver's seat with armrest and lumbar adjustment[6]	O €181
Air-suspended driver's seat with armrest[7]	O €582
Single front passenger's seat with armrest[8]	O €30
Single 'Comfort' front passenger's seat with adjustable armrest and lumbar adjustment[9]	O €75

O = Optional at extra cost.

1 = Not available with Convenience or Storage Pack options. **2** = Not available with air-suspended driver's seat options. **3** = Not available in conjunction with Convenience or Construction Packs. Only available with single front passenger's seat options. **4** = Must be specified at time of ordering as it cannot be fitted retrospectively. Vehicles fitted with tachograph include odometer display, in kilometres, replacing standard odometer display on instrument cluster. Option price for digital tachograph does not include calibration which must be carried out at an approved tachograph centre within 14 days of the vehicle's registration. Please note: The legislation regarding the use of tachographs is complex and operators should seek independent advice or speak to the Commercial Vehicle specialist at your Opel dealer to ensure compliance. Alternatively your local transport office will also be able to provide clarification of the relevant legislation. **5** = Not available with Convenience Pack or side-impact airbag options. **6** = Not available when the Construction Pack is specified. **7** = Not available in conjunction with side-impact airbags or vinyl seat trim. **8** = Not available with Convenience Pack. **9** = Only available in conjunction with comfort or air-suspended driver's seat options.

EQUIPMENT

Recommended Retail Prices including Taxes

INTERIOR FEATURES

Standard features • Multi-function display showing time, date, audio information and outside air temperature • Flat-folding middle seat back with twin drinks holders, a flat work surface and storage tray • Vinyl floor covering in cabin area • Twin sunvisors, front passengers' sunvisor with blind-spot mirror • Twin front passenger assist handles (one with single front passenger seat options) • Four-speed fan • Four adjustable face-level heating and ventilation outlets • Windscreen and side-window demist vents • Air recirculation system • Twin overhead storage shelves • Fade down cabin area courtesy light • Map reading light • Door trims with pocket and two-litre bottle storage

Additional features	Panel Van
Convenience Pack [10] • 'Comfort' driver's seat with armrest and lumbar support • Multi-function office bench seat with folding seat back on centre passenger seat including swivelling work tray and tilt forward seat cushions with underseat storage • Retractable A4 dashboard document clip • 'One-touch down' facility for driver's electrically operated window • Bulkhead soundproofing	○ €515
Storage Pack [11] • Facia-mounted A4 lidded storage compartment • Additional lower front door pockets and 12-volt accessory socket	○ €100
Comfort Pack • Electronic climate control incorporating air conditioning with pollen filter • CD 35 BT USB NAVI satellite navigation/CD/MP3 CD player/ stereo radio/aux-in socket/Bluetooth® connectivity for compatible mobile phones/USB connection/remote display/two 20-watt speakers (includes a three-month free subscription to TomTom Live) • Front fog lights	○ €1886
Smoker Pack • Removable ashtray • Illuminated cigar lighter	○ €58
Air conditioning with pollen filter and chilled glovebox facility	○ €873
Electronic climate control incorporating air conditioning with pollen filter and chilled glovebox facility	○ €1312

AUDIO, COMMUNICATION AND NAVIGATION

Features	Panel Van
CD 16 BT USB CD/MP3 CD player/digital radio/stereo radio/aux-in socket/ Bluetooth® connectivity for compatible mobile phones/USB connection/ integrated display/15-watts per channel output /2 speakers	●
CD 35 BT USB NAVI Satellite navigation (includes a three-month subscription to TomTom Live) CD/MP3 CD player/stereo radio/aux-in socket/ Bluetooth® connectivity for compatible mobile phones/USB connection/ remote colour monitor/20-watts per channel output/2 speakers	○ €1396
Steering column mounted audio controls	●
Flexible roof-mounted aerial	●

EXTERIOR FEATURES

Standard features • Electrically operated front windows • Foldable electrically adjustable/ heated door mirrors (wide-angle on driver's side) with integrated side-repeat indicators • Two-speed windscreen wipers with variable intermittent wipe and electric screenwash • Lights-on audible warning • Manual headlight beam levelling • Integral steps in front bumper • Twin reversing lights • Rear fog lights • Exterior side marker lights (L3 and L4 Panel Van models) • Body side-protection mouldings • Wheel centre covers (excluding HD models)

Additional features	Panel Van
Lighting Pack • Static cornering lights • Front fog lights • Automatic lighting control • Rain-sensitive windscreen wipers • Door-to-door illumination	○ €360
Front fog lights	○ €137
Front and rear mudflaps	○ €75
Rear-view camera [12]	○ €1075
Rear-view camera with rear parking distance sensors [12]	○ €1450
Rear parking distance sensors (not available with rear-view camera option)	○ €384
Two-coat metallic paint	○ €685

● = Standard equipment. ○ = Optional at extra cost.

10 = Not available with front passengers' airbag, single front passenger's seat, driver and front passenger's side-impact airbags or vinyl seat options. **11** = Not available with front passengers' airbag or driver and front passenger's side-impact airbags. **12** = Individual rear parking distance sensors and rear-view camera options are only available together as a combined option.

EQUIPMENT

Recommended Retail Prices including Taxes

MECHANICAL

Standard features • Six-speed manual gearbox • Power-assisted steering

Additional features	Panel Van
Construction Pack (RWD models only)[13] • Air-suspended driver's seat with armrest • Locking rear differential • Tow bar with 13-pin electrics (includes trailer stability programme)[14]	○ €1365
Engine-driven power take-off (FWD models)[15]	○ €217
Engine-driven power take-off (RWD models)[16]	○ €217
Gearbox-driven power take-off (RWD models only)	○ €656
Increased engine idle speed	○ €31
Locking rear differential (RWD models only)	○ €740
Pneumatic rear suspension (L2/L3 F3500 models only)[17]	○ €3000
105-litre fuel tank	○ €150
Tow bar with 13-pin electrics (includes trailer stability programme)[14]	○ €546
CANbus interface	○ €185
Six-pin connector for conversions	○ €75
Second battery (not available with single passenger seat options)[2]	○ €560

WHEELS AND TYRES

Features	Panel Van
3500 FWD models – 6.5J x 16-inch steel wheels with 225/65 R 16 tyres	●
3500 RWD models (excluding HD models) – 7J x 16-inch steel wheels with 235/65 R 16 tyres	●
3500 RWD HD models – 5.5J x 16-inch steel wheels with 195/75 R 16 tyres	●
All-season tyres – Continental Vanco Four Season 2 – 225/65 R 16 (FWD) or 235/65 R 16 (RWD)	○ €400
Full-size spare wheel	●
Full-diameter wheel covers (excluding RWD HD models)	○ €75
Tyre inflation kit in lieu of spare wheel (excluding RWD models)	N/C

● = Standard equipment. ○ = Optional at extra cost. N/C = No-cost option.

2 = Not available with air-suspended driver's seat options. **13** = Not available with driver and front passenger's side-impact airbags or vinyl seat trim. **14** = Unless the user qualifies for a specific exemption, vehicles operated with a trailer, where the combined weight of the vehicle, trailer and payload exceeds 3500kg, will need a digital tachograph. **15** = Not available when air conditioning or ECC options are specified. **16** = Only available in conjunction with air conditioning or ECC options. **17** = Not available in conjunction with digital tachograph. Requires six-pin connector and CANbus.

EQUIPMENT

Recommended Retail Prices including Taxes

LOAD AREA

Standard features • Full-height steel bulkhead without window • Nearside sliding side-access door • Illuminated load area • Load restraint lashing eyes (L2/L3 – 8, L4 – 10) • Internal lockable rear and sliding side-access doors • Unglazed rear doors (90°/180° opening)

Additional features	Panel Van
Window for standard full-height bulkhead	○ €31
Fixed windows in nearside sliding side-access door and opposite panel/door [18]	○ €730
Sliding windows in nearside sliding side-access door and opposite panel/door [18]	○ €1530
Glazed van pack (includes glazed side-access door and opposite panel, plus glazed rear doors) [18]	○ €143
Offside sliding side-access door	○ €461
Half-height plywood load lining panels (standard on RWD models)	○ €311
Full-height plywood load lining panels and wheel arch protection – L2 [19]	○ €656
Full-height plywood load lining panels and wheel arch protection – L3 [19]	○ €731
Full-height plywood load lining panels and wheel arch protection – L4 [19]	○ €799
Resin-coated plywood load floor covering – L2	○ €255
Resin-coated plywood load floor covering – L3	○ €293
Resin-coated plywood load floor covering – L4	○ €328
Side-mounted anchorage points (x8)	○ €75
Two grab handles (side-access and rear doors) (not available with side-mouted anchorage points)	○ €90
Three grab handles (two side-access and rear doors) (not available with side-mouted anchorage points)	○ €135
Floor and roof fixing rails (x2) and anti-slip wooden floor (not available when 'load protection net' is specified) – L2 H2/L3 H2 models [20,21]	○ €1500
Floor fixing rails (x2) and anti-slip wooden floor – L2/L3 models [20,21]	○ €1175
Side fixing rails (x2) and plastic side-panels – L2/L3 models [20,22]	○ €1300
Side fixing rails and plastic side-panels – L2/L3 models [20,22]	○ €1100
Securing lashing eyes for rail options above [20]	○ €60
Load securing strap for rail options above [20]	○ €60
Telescopic blocking bars (requires one of the fixing rail options) [20]	○ €290
Moveable partition wall (requires 'floor and roof fixing rails') [20]	○ €1700
Load protection net (not available with 'floor and roof fixing rails') – L2/L3 models	○ €800

LOAD AREA (CONTINUED)	Panel Van
Protection grille for bulkhead window (where specified) [20]	○ €400
Glazed rear doors (90°/180° opening)	○ €208
Unglazed rear doors (270° opening) [24]	○ €403
Glazed rear doors (270° opening) [24]	○ €461
Heated rear windows (only with glazed rear door options)	○ €150
Two glazed load area roof panels	○ €700
Rear bumper with integral step (standard on RWD models)	○ €150

○ = Optional at extra cost.

18 = Not available with full-height plywood load lining. **19** = Mandates resin-coated plywood load floor covering, not available with glazed side-access door(s). **20** = FWD models only. **21** = Not available when the resin-coated load floor or load protection net options are specified. **22** = Not available when half or full-height load lining/trim options are specified. **24** = L2 and L3 models only.

TECHNICAL DATA

DIESEL ENGINES







	2.3CDTi 110PS	2.3CDTi 125PS	2.3CDTi 163PS BiTurbo Start/Stop
Capacity	2298cc	2298cc	2298cc
Maximum power	110PS (81kW) @ 3500rpm	125PS (92kW) @ 3500rpm	163PS (120kW) @ 3500rpm
Maximum torque	285Nm (210 lb.ft.) @ 1250rpm	310Nm (229 lb.ft.) @ 1250-2500rpm	360Nm (266 lb.ft.) @ 1500rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts		
Fuel/induction system	Fixed geometry turbocharger and intercooler. Common rail fuel injection		Twin variable geometry turbochargers and intercoolers. Common rail fuel injection
Emission compliance	Euro 5		
Service interval	40,000km or two years (whichever occurs sooner)		

TECHNICAL DATA

Warranties*

Every Movano base vehicle comes with:

- A five-year/150,000km manufacturer's warranty
- Opel Assistance for 12 months from first registration
- Six-year body panel anti-perforation warranty

* = Warranty is only available on vehicles sourced from authorised Opel Ireland dealers. Terms and conditions apply – please see your Opel Commercial Vehicle dealer for details..

Transmission

FWD layout: Transverse engine/ gearbox.

RWD layout: Longitudinal engine/ gearbox.

- Front-wheel drive available on L2 and L3 models
- Rear-wheel drive available on L3/L4 models
- Six-speed manual gearbox

Steering

- Power-assisted rack and pinion system
- Turns lock-to-lock: 3.7
- Turning circles (kerb-to-kerb/wall-to-wall):

	Kerb-to-kerb	Wall-to-wall
L2	13.6m (44.6ft.)	14.1m (46.2ft.)
L3 FWD	15.7m (51.5ft.)	16.2m (53.1ft.)
L3 RWD	13.6m (44.6ft.)	14.1m (46.2ft.)
L4	15.7m (51.5ft.)	16.2m (53.1ft.)

Suspension

Front (FWD/RWD): MacPherson type with independent double wishbones, coil springs and telescopic dampers.

Rear (FWD): Tubular axle with variable-rate single leaf springs and telescopic dampers.

Rear (RWD): Tubular axle with variable-rate double leaf springs (triple leaf on HD models) and telescopic dampers.

Electrics

Maintenance-free battery: 95Ah.

Alternator: 185A.

Body

- Six years' body panel anti-perforation warranty
- Galvanised body panels
- Anti stone-chip mastic coating on sills
- Flush-fitted windscreen and rear door glass (when specified)
- Detachable front towing eye
- Rear towing eye

Fuel tank capacity

80 litres (17.6 gallons).

105 litres (23.1 gallons) optional.

Brakes

- Four-channel Anti-lock Braking System (ABS) with electronic brakeforce distribution
- Electronic Stability Programme-plus (ESP-plus) with traction control
- Hill start assist – maintains the brake pressure for a short period after the brake pedal has been released when pulling away on a gradient of 5% or more; this helps prevent the vehicle from rolling back.
- Emergency brake assist
- Trailer stability program – Helps re-establish control when oscillations are detected (fitted with factory-fit tow bar option)
- Vacuum servo-assisted system
- Low brake fluid level warning light
- Low brake pad wear warning light
- Floor-mounted parking brake lever

Front ventilated disc brakes:
FWD/RWD 302mm x 28mm.

Rear disc brakes:
FWD/RWD 305mm x 12mm.
RWD HD 305mm x 18mm.

Wheels and tyres

3500 FWD models: 6.5J x 16-inch steel wheels with 225/65 R 16 tyres

3500 RWD models (excluding HD models): 7J x 16-inch steel wheels with 235/65 R 16 tyres

3500 RWD HD models: 5.5J x 16-inch steel wheels with 195/75 R 16 tyres

TYRE RATINGS

Tyre size	Fuel efficiency group	Wet grip performance	External noise	
			Measured (dB)	Group
195/75 R 16	B	B	72	
225/65 R 16	B-E	B-C	70-73	
235/65 R 16	C-E	B	70-73	

Tyre rating according to EU Regulation 1222/2009

L2 H2 FWD PANEL VAN

EXTERIOR DIMENSIONS MM (INCHES)



Heights shown unladen.

INTERIOR DIMENSIONS MM (INCHES)

Loadspace	
Maximum length	3083 (121.4)
Maximum width	1765 (69.5)
Maximum height	1894 (74.6)
Width between wheel arches	1380 (54.3)
Rear and side load door(s)	
Rear door aperture height	1820 (71.7)
Rear door aperture width	1577 (62.1)
Side door aperture height	1780 (70.1)
Side door aperture width	1270 (50.0)
Loading height	562 (22.1)

LOADSPACE VOLUMES CU.M (CU.FT.)

	VDA	Maximum
Panel Van	9.4 (322)	10.8 (381)

WEIGHTS AND TOWING DATA

		UK plated weights and kerbweights kg					
		Front axle	Rear axle	Total			Plated Gross Combination
L2 H2 FWD Panel Van	**Transmission**	**Plated**	**Plated**	**GVW**	**Kerb**	**Payload** kg	**Weights (GCW)** kg
3500 2.3CDTi 110/125/163	manual	1850	2100	3500	1890	1610	6000

Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deletable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. Roof load maximum 200kg (includes weight of roof carrier) when Opel approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg.

FUEL ECONOMY AND EMISSIONS

	Fuel economy litres/100km#			
	Urban driving	**Extra-urban driving**	**Combined figure**	**CO_2 g/km#**
L2 H2 FWD Panel Van				
3500 2.3CDTi 110/125	9.1	7.1	7.8	207
3500 2.3CDTi 163 BiTurbo Start/Stop	7.2	6.6	6.9	180

= Official Government Test Environmental Data. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

L3 H2 FWD PANEL VAN

EXTERIOR DIMENSIONS MM (INCHES)



Heights shown unladen.

INTERIOR DIMENSIONS MM (INCHES)

Loadspace	
Maximum length	3733 (147.0)
Maximum width	1765 (69.5)
Maximum height	1894 (74.6)
Width between wheel arches	1380 (54.3)
Rear and side load door(s)	
Rear door aperture height	1820 (71.7)
Rear door aperture width	1577 (62.1)
Side door aperture height	1780 (70.1)
Side door aperture width	1270 (50.0)
Loading height	557 (21.9)

LOADSPACE VOLUMES CU.M (CU.FT.)

	VDA	Maximum
Panel Van	11.3 (399)	13.0 (459)

WEIGHTS AND TOWING DATA

		UK plated weights and kerbweights kg					
L3 H2 FWD Panel Van	**Transmission**	**Front axle Plated**	**Rear axle Plated**	**Total GVW**	**Kerb**	**Payload** kg	**Plated Gross Combination Weights (GCW)** kg
3500 2.3CDTi 110/125/163	manual	1850	2100	3500	1970	1530	6000

Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deletable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. Roof load maximum 200kg (includes weight of roof carrier) when Opel approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg.

FUEL ECONOMY AND EMISSIONS

	Fuel economy litres/100km#			
	Urban driving	**Extra-urban driving**	**Combined figure**	**CO_2 g/km#**
L3 H2 FWD Panel Van				
3500 2.3CDTi 110/125	9.1	7.3	8.0	211
3500 2.3CDTi 163 BiTurbo Start/Stop	7.4	6.8	7.0	184

= Official Government Test Environmental Data. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

L3 H2 RWD PANEL VAN

EXTERIOR DIMENSIONS MM (INCHES)



Heights shown unladen.

INTERIOR DIMENSIONS MM (INCHES)

Loadspace	
Maximum length	3733 (147.0)
Maximum width	1765 (69.5)
Maximum height	1798 (70.8)
Width between wheel arches	
– L3 RWD	1380 (54.3)
– L3 RWD HD	1080 (42.5)
Rear and side load door(s)	
Rear door aperture height	1724 (67.9)
Rear door aperture width	1577 (62.1)
Side door aperture height	1684 (66.3)
Side door aperture width	1270 (50.0)
Loading height	696-724 (27.4-28.5)

LOADSPACE VOLUMES CU.M (CU.FT.)

	VDA	Maximum
Panel Van	10.9 (385)	12.4 (438)

HD models have slightly reduced VDA loadspace volumes: H2 – 10.7 (378).

WEIGHTS AND TOWING DATA

		UK plated weights and kerbweights kg					
L3 H2 RWD Panel Van	**Transmission**	**Front axle Plated**	**Rear axle Plated**	**Total GVW**	**Kerb**	**Payload kg**	**Plated Gross Combination Weights (GCW) kg**
3500 2.3CDTi 125/163	manual	1850	2300	3500	2159	1341	6000
3500 HD 2.3CDTi 125/163	manual	1850	2800	3500	2246	1254	6500

Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deletable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Roof load** maximum 200kg (includes weight of roof carrier) when Opel approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg (HD models 3000kg).

FUEL ECONOMY AND EMISSIONS

	Fuel economy litres/100km#			
	Urban driving	**Extra-urban driving**	**Combined figure**	**CO_2 g/km#**
L3 H2 RWD Panel Van				
3500 2.3CDTi 125	10.7	8.7	9.4	246
3500 2.3CDTi 163 BiTurbo Start/Stop	8.6	8.0	8.3	217
3500 HD 2.3CDTi 125	9.1	8.7	8.9	232
3500 HD 2.3CDTi 163 BiTurbo Start/Stop	8.4	7.9	8.1	212

= Official Government Test Environmental Data. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

L4 H2 RWD HD PANEL VAN

EXTERIOR DIMENSIONS MM (INCHES)



Heights shown unladen.

INTERIOR DIMENSIONS MM (INCHES)

Loadspace	
Maximum length	4383 (172.6)
Maximum width	1765 (69.5)
Maximum height	1798 (70.8)
Width between wheel arches	1080 (42.5)
Rear and side load door(s)	
Rear door aperture height	1724 (67.9)
Rear door aperture width	1577 (62.1)
Side door aperture height	1684 (66.3)
Side door aperture width	1270 (50.0)
Loading height	717 (28.2)

LOADSPACE VOLUMES CU.M (CU.FT.)

	VDA	Maximum
Panel Van	12.7 (448)	14.9 (526)

WEIGHTS AND TOWING DATA

		UK plated weights and kerbweights kg					
L4 H2 RWD Panel Van	Transmission	Front axle Plated	Rear axle Plated	Total GVW	Kerb	Payload kg	Plated Gross Combination Weights (GCW) kg
3500 HD 2.3CDTi 125/163	manual	1850	2800	3500	2324	1176	6500

Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deletable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Roof load** maximum 200kg (includes weight of roof carrier) when Opel approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 3000kg.

FUEL ECONOMY AND EMISSIONS

	Fuel economy litres/100km#			
	Urban driving	Extra-urban driving	Combined figure	CO_2 g/km#
L4 H2 RWD Panel Van				
3500 HD 2.3CDTi 125	9.1	8.7	8.9	232
3500 HD 2.3CDTi 163 BiTurbo Start/Stop	8.6	8.0	8.2	216

= Official Government Test Environmental Data. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.